



BOLETIM RAMB COVID-19

Número 10
19 de maio de 2020

What do we know about COVID-19? A review article

*Júlia Maggi Vieira
Olívia Moura de Paula Ricardo
Carolina Miranda Hannas
Tereza Cristina Moreira Kanadani
Tiago dos Santos Prata
Fábio Nishimura Kanadani*

Em um momento em que há uma emergência mundial de saúde pública, é fundamental que o conhecimento científico gerado durante a pandemia chegue rapidamente à classe médica classe médica.

Dentro desta dinâmica a Revista da Associação Médica Brasileira (Ramb) está adotando uma série de medidas a fim de acelerar o processo editorial para publicação de artigos sobre a Covid-19. A partir de hoje (14/04/2020), a AMB publicará o Boletim Ramb Covid-19, que antecipará os artigos científicos selecionados pelos editores da Ramb sobre o tema.

“Os artigos foram escritos por especialistas e selecionados dentro dos critérios da Ramb para esclarecer temas fisiopatológicos, assim como oferecer orientações de prevenção e tratamento da doença. Dessa forma, esperamos colaborar com os médicos para o melhor atendimento aos seus pacientes, com a disponibilidade mais ágil desses artigos, antes de sua publicação na Ramb”, comenta Carlos Serrano Jr., editor-chefe da Ramb.

Para o diretor científico da AMB, Antonio Carlos Palandri Chagas, “neste momento ímpar vivido no mundo por conta da pandemia de Covid-19, a AMB cumpre seu papel de estar levando à comunidade científica brasileira os recentes artigos sobre os mecanismos fisiopatológicos e aspectos clínicos relevantes dessa situação que assola a saúde pública”.



Carlos Serrano Jr.



Antonio Carlos Palandri Chagas

EDITORIAL BOARD

EDITORS-IN-CHIEF

Carlos V. Serrano Jr.
José Maria Soares Jr.

CO-EDITOR

Wanderley M. Bernardo

MANAGING EDITOR

César Teixeira

ASSOCIATED EDITORS

Albert Bousso
Sérgio C. Nahas

SPECIALTY EDITORS

ACUPUNCTURE

Ari Ojeda Ocampo Moré
Pedro Cavalcante
Dirceu de Lavôr Sales
Marcia Lika Yamamura
Hildebrando Sábato
Fernando Claudio Genschow

ALLERGY AND IMMUNOLOGY

Herberto José Chong Neto
Luis Felipe Chiaverini Ensina
Pedro Francisco Giavina-Bianchi Júnior

ANAESTHESIOLOGY

Marcos Antonio Costa de Albuquerque
Maria Angela Tardelli
Maria José Carvalho Carmona
Rogean Rodrigues Nunes

ANGIOLOGY AND VASCULAR SURGERY

Marcelo Fernando Matielo
José Fernando Macedo
José Aderval Aragão
Arno Von Ristow
Daniel Mendes Pinto

CARDIOLOGY

Wolney de Andrade Martins
Olimpio Ribeiro França Neto
Otavio Rizzi Coelho Filho
Pedro Silvio Farsky
Humberto Graner Moreira

CARDIOVASCULAR

Eduardo Augusto Victor Rocha
João Carlos Ferreira Leal
Rui M. S. Almeida

CLINICAL PATHOLOGY / LABORATORY MEDICINE

Álvaro Pulchinelli Júnior
Maria Elizabete Mendes
Marinês Dalla Valle Martino
Silvana Maria Elói Santos

COLOPROCTOLOGY

Fábio G. Campos
Sergio Nahas

DERMATOLOGY

Mauro Yoshiaki Enokihara
Flávia Bittencourt

DIGESTIVE ENDOSCOPY

Adriana Safatle

DIGESTIVE SURGERY

Bruno Zilberstein
Nelson Andreollo
Oswaldo Malafaia
Carlos Eduardo Jacob

EMERGENCY MEDICINE

Hélio Penna Guimarães
Marcus Vinicius de Andrade
Júlio Marchini

ENDOCRINOLOGY AND METABOLISM

Márcio Mancini
Manoel Ricardo Alves Martins

Auro Del Giglio

Claudia Leite

Edna Frasson de S. Montero

Eduardo F. Borba

Elias Jirjoss Ilias

Isabela Giuliano

Lucia Pellanda

Paulo Kassab

Werther B. W. de Carvalho

Linamara Batistella

Dimas Ikeoki

Anna Andrei

Maria Laura Costa do Nascimento

INTERNATIONAL EDITORS

Frida Leonetti

Geltrude Mingrone

Giuseppe Barbaro

Marcelo Marotti

Walter Ageno

Michael Farkouh

JUNIOR EDITORS

Matheus Belloni Torsani

Hélio Amante Miot

Rubens Zeron

Luiz de Menezes Montenegro

Gustavo K. Matsui

FAMILY AND COMMUNITY MEDICINE

Thiago Sarti
Leonardo Fontenelle

GASTROENTEROLOGY

João Galizzi Filho
André Castro Lyra
Raquel Canzi Almada de Souza

GENERAL SURGERY

Luiz Carlos Von Bahten
Pedro Eder Portari Filho
Rodrigo Felipe Ramos

GERIATRICS AND GERONTOLOGY

Vitor Last Pintarelli

GYNAECOLOGY AND OBSTETRICS

César Eduardo Fernandes
Corintio Mariani Neto
Rosiane Mattar
Edmund Chada Baracat

HAND SURGERY

João Baptista Gomes dos Santos
Samuel Ribak
Antonio Carlos da Costa

HEAD AND NECK SURGERY

Antonio Jose Gonçalves
Flávio Carneiro Hojaij
José Guilherme Vartanian
Leandro Luongo Matos

HEMATOLOGY AND HEMOTHERAPY

Fernando Ferreira Costa

HOMEOPATHY

Silvia Irene Waisse Priven

INFECTIOUS DISEASES

Helio Bacha
Alexandre Vargas Schwarzböld

INTENSIVE CARE MEDICINE

Rosane Sonia Goldwasser
Cintia Magalhães Carvalho Grión
Claudio Piras

INTERNAL MEDICINE

Fernando Sabia Tallo
Abrão José Cury Junior

LEGAL MEDICINE AND MEDICAL EXAMINATIONS

Ivan Dieb Miziara
José Jozafra B. Freite

MASTOLOGY

Gil Facina
Rene Aloisio da Costa Vieira
Ruffo de Freitas Junior

MEDICAL GENETICS

Vera Lucia Gil da Silva Lopes

NEUROSURGERY

Luis Alencar B. Borba
Jean Gonçalves de Oliveira
José Carlos Esteves Veiga

José Marcus Rotta
Eberval Gadelha Figueiredo
Benedicto Oscar Colli

NEPHROLOGY

Andrea Pio de Abreu
Vinicius Daher Alvares Delfino
David Jose de Barros Machado

NEUROLOGY

Carlos Roberto de Mello Rieder
Marcondes Cavalcante França Jr.

NUCLEAR MEDICINE

Juliano Julio Cerci
Cristina Sebastião Matushita
George Barberio C. Filho
Rafael Willain Lopes

NUTROLOGY

Elza Daniel de Mello
Juliana Machado
Durval Ribas Filho

OCCUPATIONAL MEDICINE

Francisco Cortes Fernandes
Rosylane Nascimento das Mercês Rocha
Andrea Franco Amoras Magalhães

ONCOLOGY

Daniela Rosa
Markus Gifoni
Romualdo Barroso

OPHTHALMOLOGY

Keila Monteiro de Carvalho
Eduardo Melani Rocha

ORTHOPAEDICS AND TRAUMATOLOGY

Marco Kawamura Demange
Benno Ejnisman
Daniel Soares Baumfeld
Alex Guedes
Robinson Esteves Santos Pires

OTOLARYNGOLOGY

Marcio Nakanishi
Luciano Rodrigues Neves
Vinicius Ribas de Carvalho Duarte
Fonseca
Edson Ibrahim Mitre

PAEDIATRIC

Emanuel Savio Cavalcanti Sarinho
Debora Carla Chong e Silvia
Simone Brasil de Oliveira Iglesias

PAEDIATRIC SURGERY

Maria do Socorro Mendonça de Campos
Lisieux Eyer de Jesus
José Roberto de Souza Baratella

PATHOLOGY

Fernando Augusto Soares
Kátia Ramos Moreira Leite

PHYSICAL MEDICINE AND REHABILITATION

Silvia Verst
Eduardo Rocha
Luciana Dotta

Ligia Cattai

Marcus Yu Bin Pai

PLASTIC SURGERY

Ricardo Frota Boggio
Rodrigo Gouvea Rosique
Fabio Kamamoto

PREVENTIVE MEDICINE AND HEALTH ADMINISTRATION

Antonio Eduardo Fernandes D'Aguilar
Milton Massayuki Osaki
Helio Komagata

PSYCHIATRY

Antônio Geraldo da Silva
Itiro Shirakawa
Francisco Baptista Assumpção Junior
Leonardo Rodrigo Baldaçara
Sérgio Tamai

PULMONOLOGY / PHTHISIOLOGY

José Miguel Chatkin
Marcelo Fouad Rabahi
Rodrigo Luis Barbosa Lima
Rosemeri Maurici da Silva

RADIOTHERAPY

Arthur Accioly Rosa
Gustavo Nader Marta
Gustavo Viani Arruda
Mauricio Fraga da Silva

RADIOLOGY

Alair Sarmet
Valdair Muglia
Dante Luiz Escussato
Luciana Costa Silva
Claudia Leite
Manoel Rocha

RHEUMATOLOGY

Eduardo dos Santos Paiva

SPORTS MEDICINE

André Pedrinelli;
Fernando Carmelo Torres
Marcelo Bichels Leitão.

SURGICAL ONCOLOGY

Alexandre Ferreira Oliveira
Reitan Ribeiro
Gustavo Andreazza Laporte

TRAFFIC MEDICINE

José Heverardo da Costa Montal
Arlison de Souza Carvalho Junior
Egas Caparelli Moniz de Aragão Dáquer

THORACIC SURGERY

Darcy Pinto
Carlos Alberto Araujo
Ricardo Terra

UROLOGY

Eduardo Carvalhal
Gilberto Almeida
Stênio Zequi
Lucas Teixeira A. Batista
Francisco Bretas

**ASSOCIAÇÃO MÉDICA BRASILEIRA (BRAZILIAN MEDICAL ASSOCIATION)
MANAGEMENT BOARD 2017-2020**



PRESIDENT

Lincoln Lopes Ferreira (Minas Gerais)

1ST VICE-PRESIDENT

Diogo Leite Sampaio (Mato Grosso)

2ND VICE-PRESIDENT

Robson Freitas de Moura (Bahia)

VICE-PRESIDENTS

José Luiz Dantas Mestrinho – Mid-West (Federal District)

Arno Buertiner Von Ristow – Southeast (Rio de Janeiro)

Eduardo Francisco de Assis Braga – North (Tocantins)

Mauro Cesar Viana de Oliveira – Northeast (Maranhão)

Alfredo Floro Cantalice Neto – South (Rio Grande do Sul)

GENERAL SECRETARY

Antônio Jorge Salomão (São Paulo)

1ST SECRETARY

Carmita Helena Najjar Abdo (São Paulo)

1ST TREASURER

Miguel Roberto Jorge (São Paulo)

2ND TREASURER

José Luiz Bonamigo Filho (São Paulo)

CULTURAL DIRECTOR

Fernando Antonio Gomes de Andrade (Alagoas)

DIRECTOR OF CORPORATE RELATIONS

Carlos Alfredo Lobo Jasmin (Rio de Janeiro)

DIRECTOR OF INTERNATIONAL RELATIONS

Eduardo Nagib Gaudi (Rio de Janeiro)

SCIENTIFIC DIRECTOR

Antonio Carlos Palandri Chagas (São Paulo)

ACADEMIC DIRECTOR

Maria José Martins Maldonado (Mato Grosso do Sul)

DIRECTOR OF MEMBER SUPPORT SERVICES

Marcio Silva Fortini (Minas Gerais)

DIRECTOR OF PARLIAMENTARY AFFAIRS

Débora Eugenia Braga Nóbrega Cavalcanti (Paraíba)

**RAMB - REVISTA DA ASSOCIAÇÃO MÉDICA BRASILEIRA
(JOURNAL OF THE BRAZILIAN MEDICAL ASSOCIATION)**

RAMB

EDITORS-IN-CHIEF: Carlos V. Serrano Jr. and José Maria Soares Jr.

CO-EDITOR: Wanderley M. Bernardo

MANAGING EDITOR: César Teixeira

E-MAIL: ramb@amb.org.br

WEBSITE: www.amb.org.br

Address: Rua São Carlos do Pinhal, 324

Bela Vista – São Paulo

Postal Code: 01333-903

Phone no.: (+55 11) 3178-6800 Ext. 177

The RAMB, Journal of The Brazilian Medical Association, is an official publication of the Associação Médica Brasileira (AMB – Brazilian Medical Association), indexed in Medline, Science Citation Index Expanded, Journal Citation Reports, Index Copernicus, Lilacs, and Qualis B2 Capes databases, and licensed by Creative Commons®. Registered in the 1st Office of Registration of Deeds and Documents of São Paulo under n. 1.083, Book B, n. 2.

Publication norms are available on the website www.amb.org.br

All rights reserved and protected by Law n. 9.610 – 2/19/1998. No part of this publication may be reproduced without prior written authorization of the AMB, whatever the means employed: electronic, mechanical, photocopying, recording or other.

THE RAMB IS INDEXED IN SCIELO - SCIENTIFIC ELECTRONIC LIBRARY ONLINE.



TIMBRO EDITORA

PUBLISHER: Rodrigo Aguiar

AUTHORIZING EDITOR: Luciano Bauer Grohs

EDITOR: Celina Maria Morosino Lopes

PRODUCER: Maria Fortes

EDITORIAL PRODUCER: Helvânia Ferreira

ENGLISH TRANSLATION OF ARTICLES: Alpha & Omega

REFERENCE REVIEWER: Rosângela Monteiro

PROOFREADING: Hebe Ester Lucas e Alpha & Omega

GRAPHIC DESIGN: Angela Mendes e Murilo M. Camargo



The advertisements and opinions published in the Ramb are the sole responsibility of the advertisers and authors. The AMB and Timbro Comunicação are not responsible for its content.

What do we know about COVID-19?

A review article

 Júlia Maggi Vieira¹
 Olívia Moura de Paula Ricardo¹
 Carolina Miranda Hannas¹
 Tereza Cristina Moreira Kanadani¹
 Tiago dos Santos Prata²
 Fábio Nishimura Kanadani³

1. Departamento de Oftalmologia, Instituto de Olhos Ciências Médicas, Belo Horizonte, Minas Gerais, Brasil.
2. Department of Ophthalmology, Mayo Clinic, Jacksonville, Florida, USA; Departamento de Oftalmologia e Ciência Visual, Universidade Federal de São Paulo, São Paulo, Brasil. Unidade de Glaucoma, Hospital Medicina dos Olhos, Osasco, São Paulo, Brasil.
3. Departamento de Oftalmologia, Instituto de Olhos Ciências Médicas, Belo Horizonte, Minas Gerais, Brasil; Department of Ophthalmology, Mayo Clinic, Jacksonville, Florida, USA

SUMMARY

OBJECTIVES: To bring summarized information about what has been published so far regarding Covid-19, facilitating the access to information and a better understanding of this pandemic, and to contribute to the medical community in the decision-making against this virus.

METHODOLOGY: This review article brings collected information from different articles published since the beginning of the pandemic of the 2019 novel coronavirus.

KEY RESULTS: This paper aggregates and consolidates some epidemiological parameters and clinical knowledge about the novel coronavirus and brings what is new in the search for pandemic control.

MAJOR CONCLUSIONS: Governments and health authorities are under increased pressure to control the COVID-19 spreading. In this scenario, the scientific community is working hard to produce relevant papers which will help in the next steps against coronavirus. Our review summarized the latest news about SARS-CoV2, evidencing what we know about COVID-19 until now.

KEYWORDS: Coronavirus. Covid-19. Respiratory insufficiency. Pneumonia. Pandemics.

RESUMO

OBJETIVOS: Trazer de forma resumida as informações que têm sido publicadas sobre o novo coronavírus, facilitando o acesso à informação e o melhor entendimento dessa pandemia, como também contribuir para a comunidade médica nas decisões para conter o vírus.

METODOLOGIA: Este artigo de revisão coletou informações de diferentes artigos publicados desde o início da pandemia do novo coronavírus.

RESULTADOS: Este artigo consolida alguns parâmetros clínicos e epidemiológicos do novo coronavírus e traz o que tem de novo no controle da pandemia.

CONCLUSÃO: Os governos e autoridades de saúde estão sob pressão constante para conter o alastramento do coronavírus. Nesse cenário, a comunidade científica tem trabalhado e produzido muitos estudos e artigos que têm ajudado a guiar os próximos passos na contenção dessa pandemia. Nossa revisão faz um compilado dos últimos artigos e estudos, trazendo o que sabemos até então sobre a Covid-19.

PALAVRAS-CHAVE: Coronavírus. Covid-19. Insuficiência respiratória. Pneumonia. Pandemias.

INTRODUCTION

The epidemic of the 2019 novel coronavirus (severe acute respiratory syndrome coronavirus 2 - SARS-CoV-2), which was first identified in Wuhan, a city in the Hubei province in China, is being exported to a growing number of countries. Early efforts were focused on describing the clinical course, counting severe cases, and treating the disease¹. Covid-19 has spread rapidly and has been shown to have a wide spectrum of severity. The World Health Organization (WHO) has recently declared coronavirus disease 2019 (Covid-19) a public health emergency of international concern².

So far, according to the World Health Organization³, COVID-19 has affected globally 1.210.956 individuals and accounted for over 67.594 deaths.

Since this is a new disease, the scientific community is engaged in new research that better explains the pathophysiology, diagnosis, clinical course, and treatment of coronavirus. Many works are published daily showing different outcomes of the disease, mainly regarding the symptoms and the treatment, which does not have one specific path so far, making it difficult to follow and understand the updates. This study will discuss information on what we know about Covid-19 so far to summarize and facilitate the access to information and a better understanding of this pandemic in order to contribute to the medical community in the decision-making and direct new studies on issues that remain limited about SARS-CoV2.

MATERIALS AND METHODS

Our study brings what is known about the coronavirus so far and aims to gather essential information to better understand this pandemic

and help on the next steps that the scientific community must take. This is a review article that brings collected information from different articles published since the beginning of the epidemic of the 2019 novel coronavirus [Pubmed “covid-19”; “coronavirus”; “H1N1 infection”]. There were no date or language restrictions. Information was collected in cohort studies⁴, case series¹¹, non-randomized clinical trials¹, review articles⁷, and others. The search was for information about the epidemiology, rate of infection, hospital care, incubation period, signs and symptoms, risk factors, confounding factors, and current treatment. The majority of the data on COVID-19 come from Asia. The electronic databases were last searched on 06 April 2020. The main papers used are listed in Table 1:

RESULTS

Rate of Infection

At the beginning of the outbreak, an association between the origin of COVID-19 and the wet animal market in Wuhan City, where live animals are routinely sold, was identified¹⁹. But after the progression of the virus, the person-to-person transmission became the most important way of transmission. It occurs primarily via direct contact or through droplets spread by the coughing or sneezing of an infected individual¹⁹. Recently, SARS-CoV-2 was isolated from feces of patients with Covid-19 by Chinese researchers, indicating the potential of fecal-oral transmission²⁴. Moreover, a study detected a low prevalence of patients with positive results for SARS-CoV2 on RT-PCR in conjunctival swabs and suggested the possibility of transmission through the eyes⁷. Currently, there is no evidence for intrauterine vertical transmission of COVID-19²⁴.

Based on observations of data from the early outbreak in China, the trend of an increasing incidence largely follows exponential growth, and the mean basic reproduction number (R0) was estimated from 2.24 to 3.58²⁰.

TABLE 1. MAIN PUBLICATIONS USED IN THIS REVIEW.

Study design	Author / Country	Title
Case Series	Mao, et al. (China)	Manifestations of Hospitalized Patients with COVID-19 in Wuhan, China: a retrospective case series study.
	Wang, et al. (China)	Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus–infected pneumonia in Wuhan, China.
	Young, et al. (EUA)	Epidemiologic features and clinical course of patients infected with SARS-CoV-2 in Singapore.
	Wu, et al. (China. March 2020)	Characteristics of ocular findings of patients with coronavirus disease 2019 (COVID-19) in Hubei Province, China.
	Bordi, et al. (Italia. February 2020)	Differential diagnosis of illness in patients under investigation for the novel coronavirus (SARS-CoV-2)
	Shen, et al. (China. March 2020)	Treatment of 5 Critically Ill Patients With COVID-19 With Convalescent Plasma.
	Yang, et al. (China, 2020)	Clinical characteristics and imaging manifestations of the 2019 novel coronavirus disease (COVID-19): A multi-center study in Wenzhou city, Zhejiang, China.
	Liu, et al. (China, March 2020)	CT manifestations of coronavirus disease-2019: a retrospective analysis of 73 cases by disease severity.
	Huang, et al. (China)	Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China
	Wang, et al. (China)	The clinical dynamics of 18 cases of COVID-19 outside of Wuhan, China.
	Kong, et al. South Korea	Early Epidemiological and Clinical Characteristics of 28 Cases of Coronavirus Disease in South Korea.
Cohort	Linton, et al. (China. February 2020)	Incubation Period and Other Epidemiological Characteristics of 2019 Novel Coronavirus Infections with Right Truncation
	Guan, et al.	Clinical Characteristics of Coronavirus Disease 2019 in China.
	Wu, et al. (China. March 2020)	Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China.
	Zhou, et al. (China)	Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study.
Non-randomized Clinical Trial	Gautret, et al. (France. March 2020)	Hydroxychloroquine and Azithromycin as a treatment of COVID-19: Results of an open-label non-randomized clinical trial.
Review Article	Lipsitch, et al. (EUA. February 2020)	Defining the Epidemiology of Covid-19 — Studies Needed.
	Rothan, et al. (February 2020)	The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak.
	Lai, et al (February 2020)	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-2019 (COVID-19): the epidemic and the challenges.
	Wu, et al (February 2020)	The SARS-CoV2 Outbreak: WhatsApp se know. International Journal of Infectious Diseases.
	Thomas-Rüddel, et al. (Germany. March 2020)	Coronavirus disease 2019 (COVID-19): update for anesthesiologists and intensivists March 2020.
	Chen, et al. (February 2020)	Convalescent plasma as a potential therapy for COVID-19.
	Jiang, et al. (March 2020)	Review of the clinical characteristics of coronavirus disease 2019 (COVID-19).

The fraction of undocumented cases with mild, limited, or no symptoms is critical to the spread of coronavirus. Li et al.²⁵ estimated the prevalence and contagiousness of these undocumented cases with a mathematical model of simulation. They found that patients with no reported infection are half as contagious, per individual, as reported ones. However, 86.2% (95%CI: 81.5-89.8) of all infections were from undocumented cases. Their simulation predicted that 78.8% of reported infections should have been reduced without transmission from undocumented cases²⁵.

INCUBATION PERIOD

The incubation period is critical to understand the infectiousness of COVID-19, its epidemic size, and the ideal time for the quarantine period. It is defined as the period between the day of infection and the illness onset. Linton et al.¹⁵ found an average incubation period of 5.6 days (95%CI: 5.0,6.3) (n=158). Most infected people that present symptoms will do so within 12 days of the primary contact and the current period of active monitoring (14 days) is well supported by the evidence²⁶.

SIGNS AND SYMPTOMS

The symptoms may vary, according to studies, due to different samples, the period of analysis of the patients, and subjectivity of data. However, this review enabled a satisfactory survey of the main signs and symptoms. The most common symptoms at the onset

of illness, according to the case series analyzed and represented in Table 2, were fever, cough, myalgia, fatigue, sputum production, and dyspnea [Table 2]. Some patients had radiographic evidence of pneumonia with bilateral diffuse airspace opacities. Some of which needed supplemental oxygen too⁶. Less common symptoms included hemoptysis, abdominal pain, diarrhea, nausea, and vomiting⁵. Sore throat and nasal congestion occurred in only around 5-10% of patients²². Neurological signs and symptoms were also described, such as headache, dizziness, impaired consciousness, ataxia, acute cerebrovascular disease, epilepsy, hypogeusia, and hyposmia⁴. Organ dysfunction and death can occur in severe cases⁵.

Wu et al.⁷ analyzed some confirmed or very suspected cases of COVID-19 to see what are the ocular manifestations and its relation with coronavirus disease. They concluded that 31.6% (95% CI: 17.5-48.7) of the patients had ocular abnormalities which are more prevalent in severe (dyspnea, blood oxygen saturation of 93% or less) or critical cases (respiratory failure or shock or multiple organ dysfunction). The most common ocular symptoms were conjunctivitis, conjunctival hyperemia, epiphora, chemosis, and increased secretions. In addition, those patients had higher white blood cell, neutrophil, procalcitonin, C-reaction protein, and lactate dehydrogenase⁷.

Laboratorial parameters may be useful to help the diagnosis, but the virus isolation and viral nucleic acid

detection are the exams that confirm the infection. Other nonspecific parameters may be helpful, mainly in the early stage of the disease, like leukopenia, or a normal number of leukocytes with lymphopenia or increased monocytes²¹. A procalcitonin, C-reaction protein, or lactate dehydrogenase increase also appears in COVID-19 infection⁷.

Image abnormalities could appear in COVID-19 infection and vary with age, underlying diseases, immunity, and stage of the infection at the moment of scanning. Some patterns at the chest X-ray or CT Scan are multiple small patchy shadows, interstitial changes, bilateral multiple ground-glass opacity, infiltrating shadows, and pulmonary consolidation²¹.

RISK FACTORS

Although most patients are thought to have a favorable prognosis, older ones and those with chronic underlying conditions may have worse outcomes¹⁶.

A study in China reported the clinical characteristics and risk factors associated with developing acute respiratory distress syndrome (ARDS) after hospital admission and progression from ARDS to death in patients with COVID-19 pneumonia. The study shows that older age (≥ 65 years old), high fever (≥ 39 °C), comorbidities (eg, hypertension, diabetes), neutrophilia, lymphocytopenia, elevated end-organ related indices, elevated inflammation-related indices, and elevated coagulation function-related indicators

TABLE 2. MOST COMMON CLINICAL CHARACTERISTICS OF THE RESEARCHED STUDIES

Author	Date (MM/YY)	N	N(%)					
			Fever	Cough	Myalgia	Fatigue	Sputum production	Dyspnea
Liu, KC ¹¹	05/20	73	68 (93)	60 (82)	-	55 (75)	39 (53)	-
Yang, W ¹²	04/20	149	114 (76.51)	87 (58.39)	5 (3.36)	-	48 (31.21)	2 (1.34)
Wang, L ¹³	03/20	18	16 (94.4)	10 (55.6)	2 (11.1)	-	-	4 (22)
Wang, D ¹⁴	02/20	138	136 (98.6)	82 (59.4)	48 (34.8)	96 (69.6)	-	43 (31.2)
Kui, L ¹⁵	02/20	137	112 (81.8)	66 (48.2)	44 (32.1)	44 (32.1)	-	-
Kong, I ¹⁶	02/20	28	9 (32.1)	5 (17.9)	4 (14.3)	-	5 (17.9)	-
Huang, C ¹⁷	01/20	41	40 (98)	31 (76)	18 (44)	18 (44)	11 (28)	22 (55)

were significantly associated with higher risks of unfavorable outcomes and the development of ARDS¹⁶.

HOSPITAL CARE X INTENSIVE CARE UNIT

In a study from China, they obtained data regarding clinical symptoms and outcomes for 1099 patients. A primary outcome event occurred in 67 patients (6.1%), including 5.0% who were admitted to the intensive care unit (ICU), 2.3% who underwent invasive mechanical ventilation, and 1.4% who died².

In another observational study in China with 158 patients, they found that the average time from illness onset to hospital admission was different for living and deceased cases, the former was estimated at 3.3 days (95%CI:2.7,4.0) and the latter was 6.5 days (95%CI:5.2,8.0)¹⁵. The mean time from hospitalization to death was 8.8 days (95%CI:7.2,10.8)¹⁵.

MORTALITY

Studies conducted with Chinese patients showed a mortality rate (the number of reported deaths divided by the reported cases) of 3.6%²⁸. According to the WHO data until 06 March 2020, the rate is also between 3-4%²⁹. A retrospective cohort with 191 patients found that older age, higher Sequential Organ Failure Assessment (SOFA) score, and d-dimer greater than 1µm/mL at admission were associated with higher in-hospital death risk¹⁷.

However, those estimated mortality rates are not representative of the actual death rate because the actual number of infected patients could not be identified. Not all cases are tested, including most asymptomatic ones or patients with very mild symptoms. Therefore, the mortality rate is probably overestimated¹⁸.

CONFOUNDING FACTORS - DIFFERENTIAL DIAGNOSIS

The infection by SARS-CoV-2 causes many nonspecific symptoms that are shared by other infectious diseases of the respiratory tract, like influenza,

parainfluenza virus, adenovirus, respiratory syncytial virus, rhinovirus, and others previously-known human coronaviruses. The diagnosis cannot be definitively made without microbiologic testing^{8,21}.

CURRENT TREATMENT

Until this moment, there are no specific antiviral drugs or vaccines against the COVID-19 infection for potential therapy in humans. One of the options available is the use of broad-spectrum antiviral drugs like nucleoside analogs and HIV-protease inhibitors, which could attenuate virus infection¹⁹.

A great deal of effort has been made to find effective drugs against the virus in China. The State Council of China held a news briefing indicating that chloroquine phosphate (CQ) and hydroxychloroquine sulfate (HCQ), old drugs used for the treatment of malaria, had demonstrated efficacy and acceptable safety in treating COVID-19-associated pneumonia in multicenter clinical trials conducted in China³⁰. The oral absorption of both drugs in humans is very efficient. As in the case of SARS-CoV, the virus transport of SARS-CoV2 from endosomes to endolysosome appears to be a requirement to release the viral genome, and both CQ and HCQ have been able to block it. The anti-SARS-CoV2 activity seems to be more potent with CQ; however, HCQ has been shown to be much less toxic than it. Until now, the inhibition of SARS-CoV2 in vitro has been efficient with HCQ using a safe dosage but this awaits confirmation by clinical trials³¹.

Gautret and collaborators conducted an open-label non-randomized clinical trial to investigate the effect of HCQ and Azithromycin in virological clearance, clinical follow-up, and occurrence of side-effects in patients with COVID-19 infection. In this study, 26 patients received HCQ (200mg three times per day for ten days) and 16 were the control group. Among the patients treated with

HCQ, six received Azithromycin (500mg on day 1, followed by 250mg per day, for the next four days). The results were very promising; at day 6 post-inclusion, the group treated with both drugs had 100% of virological cure compared with 57,1% of patients treated with HCQ only, and 12,5% with no drugs. Further works are needed to investigate these effects with a greater sample and a longer follow up, but also to investigate potential side effects (QT prolongation, ventricular arrhythmia, and retinopathy)¹⁸.

The convalescent plasma containing neutralizing antibodies or immunoglobulins has been used as a last resource to improve the clinical conditions of patients with ARDS. Moreover, studies have shown a shorter hospital stay and lower mortality in patients treated with convalescent plasma than in those who were not treated with it^{9,23}.

An effective treatment is an urgent need to treat symptomatic cases and decrease the transmission of coronavirus in the community by reducing the virus carriage¹⁸.

PUBLIC HEALTH AND ECONOMIC IMPACTS

In the absence of a Covid-19 vaccine or proven and safe treatment, our better protection against coronavirus is social isolation. This measure aims to decrease contact rates in the population in order to reduce the transmission of the virus. Quarantine brings enormous social and economic costs in the short, mid, or long-term³².

Many countries made hard decisions to control this epidemic. China locked down whole cities, Italy imposed severe restrictions on the population, and the United States subjected part of the country to quarantine and part to a recommended "self-quarantine" and banned non-US nationals from entering the country³³.

DISCUSSION

Knowledge about the 2019 novel coronavirus remains limited, but we need

to learn and collect quality information about this clinical threat to deal and respond to the consequences of the pandemic.

The infection by COVID-19 is gradually being elucidated by the scientific community, contributing to new steps towards the control of the disease and the search for its treatment. According to this study review, coronavirus has an infection rate (RO) that varies between 2 and 3 people and an incubation period of around 5.6 days. This information is essential for the development of preventive measures and epidemiological simulations.

It is important to highlight that the rate of infection and death are very different within the countries. This might be caused because each country followed different protocols. Some with early person-to-person isolation, others with vertical isolation, and others with no isolation. Another possible cause of this huge difference in the infection and death rates are the capability of each country to test their individuals. While some are testing all individuals at risk, others have no epidemiologic, economic, and political condition to do the same, thus causing unreliable data and underreporting of the disease in most countries.

The disease presents, in most cases, with fever, cough, myalgia, fatigue, and dyspnea, but it has a wide spectrum of severity, which can cause respiratory failure and require ICU admission for advanced ventilatory support. Knowing the natural history of the disease is essential to think about possible treatments and

prepare the health system in the most appropriate way, such as increasing ICU beds and respirators.

As most studies in the literature are quite recent and use different methodologies, this review aims to facilitate the dissemination of knowledge among scientists and health care professionals through clear data and information.

The most effective way to prevent the disease so far is social isolation, which aims to reduce the rate of disease transmission. However, this decision also leads to economic issues and we must not be blind to these effects of the pandemic. Countries with major economic influence in the world are stopping all activities for at least 14 days. This may increase the unemployment rate and the indebtedness of the countries.

LIMITATIONS OF THE STUDY

Our study has some limitations because different types of studies were analyzed (observational, experimental, review articles, clinical trials) but most of the information was consistent between them. Another limitation is the short review time for these papers, considering the urgent need for the infection diagnosis, treatment, and pathogenesis.

CONCLUSION

During a pandemic, scientific knowledge advances in an accelerated way. In the race for rapid epidemic control, every minute is important and discoveries cannot be delayed. Governments and health authorities are under increased pressure to control

the COVID-19 spreading. In this scenario, the scientific community is working hard to produce relevant papers which will help in the next steps against the coronavirus. Our review summarized clearly the latest news about SARS-CoV2, evidencing what we know about COVID-19 until now. Further studies are needed to fill the existing gaps in this epidemic knowledge.

Conflict of interest

The authors declare no conflicts of interest.

Funding

All authors have no financial disclosures or support in this work.

Acknowledgments

Nil.

Authors Contribution

All authors have made substantial contributions to this work. Júlia Vieira, Olívia Ricardo, and Carolina Hannas conducted the data analysis and writing. Fábio Kanadani, Tereza Kanadani, and Tiago Prata drafted and revised the paper. All authors have seen and approved the manuscript and contributed significantly to the work.

Submitted Date: 17-Abr-2020

Accepted Date: 17-Abr-2020

CORRESPONDING AUTHOR:

Júlia Maggi Vieira
Rua Cyro Vaz de Melo, 474/102 - Dona Clara,
BH/MG. Tel.: +55 31 996947154
E-mail: juliamaggi27@gmail.com

REFERENCES

1. Lipsitch M, Swerdlow DL, Finelli L. Defining the epidemiology of Covid-19: studies needed. *N Engl J Med.* 2020;382(13):1194-6.
2. Guan WJ, Ni ZY, Hu Y, Liang WH, Ou CQ, He JX, et al. Clinical characteristics of coronavirus disease 2019 in China. *N Engl J Med.* 2020; NEJMoa2002032. doi: 10.1056/NEJMoa2002032.
3. World Health Organization. Coronavirus disease 2019 (COVID-19). Situation report - 77. Geneva: World Health Organization; 2020.
4. Mao L, Jin H, Wang M, Hu Y, Chen S, He Q, et al. Neurologic manifestations of hospitalized patients with Coronavirus Disease 2019 in Wuhan, China. *JAMA Neurol.* 2020 Apr 10;e201127. doi: 10.1001/jamaneurol.2020.1127.
5. Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, et al. Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus-infected pneumonia in Wuhan, China. *JAMA.* 2020 Feb 7;e201585. doi: 10.1001/jama.2020.1585.

6. Young BE, Ong SWX, Kalimuddin S, Low JG, Tan SY, Loh J, et al. Epidemiologic features and clinical course of patients infected with SARS-CoV-2 in Singapore. *JAMA*. 2020 Mar 3;e203204. doi: 10.1001/jama.2020.3204.
7. Wu P, Duan F, Luo C, Liu Q, Qu X, Liang L, et al. Characteristics of ocular findings of patients with coronavirus disease 2019 (COVID-19) in Hubei Province, China. *JAMA Ophthalmol*. 2020;e201291. doi: 10.1001/jamaophthalmol.2020.1291.
8. Bordini L, Nicastrini E, Scorzolini L, Di Caro A, Capobianchi MR, Castilletti C, et al. Differential diagnosis of illness in patients under investigation for the novel coronavirus (SARS-CoV-2). Italy, February 2020. *Euro Surveill*. 2020 Feb;25(8):2000170. doi: 10.2807/1560-7917.ES.2020.25.8.2000170.
9. Shen C, Wang Z, Zhao F, Yang Y, Li J, Yuan J, et al. Treatment of 5 critically ill patients with COVID-19 with convalescent plasma. *JAMA*. 2020 Mar 27;e204783. doi: 10.1001/jama.2020.4783.
10. Yang W, Cao Q, Qin L, Wang X, Cheng Z, Pan A, et al. Clinical characteristics and imaging manifestations of the 2019 novel coronavirus disease (COVID-19): a multi-center study in Wenzhou city, Zhejiang, China. *J Infect*. 2020;80(4):388-93.
11. Liu KC, Xu P, Lv WF, Qiu XH, Yao JL, Gu JF, et al. CT manifestations of coronavirus disease-2019: a retrospective analysis of 73 cases by disease severity. *Eur J Radiol*. 2020 May;126:108941. doi: 10.1016/j.ejrad.2020.108941.
12. Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*. 2020;395(10223):497-506.
13. Wang L, Gao YH, Lou LL, Zhang GJ. The clinical dynamics of 18 cases of COVID-19 outside of Wuhan, China. *Eur Respir J*. 2020 Mar 26;2000398. doi: 10.1183/13993003.00398-2020.
14. COVID-19 National Emergency Response Center, Epidemiology and Case Management Team, Korea Centers for Disease Control and Prevention. Early epidemiological and clinical characteristics of 28 cases of coronavirus disease in South Korea. *Osong Public Health Res Perspect*. 2020;11(1):8-14.
15. Linton NM, Kobayashi T, Yang Y, Hayashi K, Akhmetzhanov AR, Jung SM, et al. Incubation period and other epidemiological characteristics of 2019 novel coronavirus infections with right truncation: a statistical analysis of publicly available case data. *J Clin Med*. 2020;9(2):538. doi: 10.3390/jcm9020538.
16. Wu C, Chen X, Cai Y, Xia J, Zhou X, Xu S, et al. Risk factors associated with acute respiratory distress syndrome and death in patients with coronavirus disease 2019 pneumonia in Wuhan, China. *March 2020. JAMA Intern Med*. 2020 Mar 13;e200994. doi: 10.1001/jamainternmed.2020.0994.
17. Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z, et al. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *Lancet*. 2020;395(10229):1054-62.
18. Gautret P, Lagier JC, Parola P, Hoang VT, Meddeb L, Mailhe M, et al. Hydroxychloroquine and azithromycin as a treatment of COVID-19: results of an open-label non-randomized clinical trial. *Int J Antimicrob Agents*. 2020 Mar 20;105949. doi: 10.1016/j.ijantimicag.2020.105949.
19. Rothan HA, Byrareddy SN. The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. *J Autoimmun*. 2020;109:102433. doi: 10.1016/j.jaut.2020.102433.
20. Lai CC, Shih T, Ko WC, Tang HJ, Hsueh PR. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-2019 (COVID-19): the epidemic and the challenges. *Int J Antimicrob Agents*. 2020;55(3):105924. doi: 10.1016/j.ijantimicag.2020.105924.
21. Wu D, Wu T, Liu Q, Yang Z. The SARS-CoV-2 outbreak: what we know. *Int J Infect Dis*. 2020;94:44-8.
22. Thomas-Rüddel D, Winning J, Dickmann P, Quart D, Kortgen A, Janssens U, et al. Coronavirus disease 2019 (COVID-19): update for anesthesiologists and intensivists March 2020. *Anaesthesist*. 2020;69(4):225-35.
23. Chen L, Xiong J, Bao L, Shi Y. Convalescent plasma as a potential therapy for COVID-19. *Lancet Infect Dis*. 2020;20(4):398-400.
24. Jiang F, Deng L, Zhang L, Cai Y, Cheung CW, Xia Z. Review of the clinical characteristics of coronavirus disease 2019 (COVID-19). *J Gen Intern Med*. 2020. doi: 10.1007/s11606-020-05762-w.
25. Li R, Pei S, Chen B, Song Y, Zhang T, Yang W, et al. Substantial undocumented infection facilitates the rapid dissemination of novel coronavirus (SARS-CoV2). *Science*. 2020 Mar 16;eabb3221. doi: 10.1126/science.abb3221.
26. Lauer SA, Grantz KH, Bi Q, Jones FK, Zheng Q, Meredith HR, et al. The incubation period of coronavirus disease 2019 (COVID-19) from publicly reported confirmed cases: estimation and application. *Ann Intern Med*. 2020;M20-0504. doi: 10.7326/M20-0504.
27. Liu K, Fang YY, Deng Y, Liu W, Wang MF, Ma JP, et al. Clinical characteristics of novel coronavirus cases in tertiary hospitals in Hubei Province. *Chin Med J (Engl)*. 2020 Feb 7;10.1097/CM9.0000000000000744. doi: 10.1097/CM9.0000000000000744
28. Baud D, Qi X, Nielsen-Saines K, Musso D, Pomar L, Favre G. Real estimates of mortality following COVID-19 infection. *Lancet Infect Dis*. 2020 Mar 12;S1473-3099(20)30195-X. doi: 10.1016/S1473-3099(20)30195-X.
29. World Health Organization. Coronavirus disease 2019 (COVID-19). Situation report – 46. Geneva: World Health Organization; 2020.
30. Gao J, Tian Z, Yang X. Breakthrough: chloroquine phosphate has shown apparent efficacy in treatment of COVID-19 associated pneumonia in clinical studies. *Biosci Trends*. 2020;14(1):72-3.
31. Liu J, Cao R, Xu M, Wang X, Zhang H, Hu H, et al. Hydroxychloroquine, a less toxic derivative of chloroquine, is effective in inhibiting SARS-CoV-2 infection in vitro. *Cell Discov*. 2020 Mar 18;6:16. doi: 10.1038/s41421-020-0156-0.
32. Ferguson NM, Laydon D, Nedjati-Gilani G, Imai N, Ainslie K, Baguelin M, et al. Impact of non-pharmaceutical interventions (NPIs) to reduce COVID-19 mortality and healthcare demand. Imperial College COVID-19 Response Team, London, March, 16. [cited 2020 Abr 2]. Available from: <https://www.imperial.ac.uk/media/imperial-college/medicine/sph/ide/gida-fellowships/Imperial-College-COVID19-NPI-modelling-16-03-2020.pdf>
33. Parmet WE, Sinha MS. Covid-19: the law and limits of quarantine. *N Engl J Med*. 2020;382(15):e28. doi: 10.1056/NEJMp2004211.